



## **Product List Ferrari F355**

***GTB / F1***  
***GTS / F1***  
***Spider / F1***

### **Content**

Aerodynamics  
Wheels & Wheel Sets  
Spacers  
Sports Springs  
Exhaust valves control unit  
Sports Brakes  
Sports Exhaust  
Tail Pipes  
Sports Catalyts  
Engine Tuning Complete Kits  
Engine Tuning Single Components  
Interior



## Aerodynamics

### Carbon Super Light Weight

- ❖ All parts hand made from carbon fibre
- ❖ Finished in high gloss polished or matt
- ❖ Improved aerodynamics, specially increased down force
- ❖ Manufactured after highest quality standards
- ❖ Characterized through exact fitting

#### **Linea Sprint**

#### **Order-No.**

---

**Spoiler Lip**  
Assembly

F.70.355.C51S  
F.70.355.C51M

---

**Roof Spoiler**  
Assembly

F.70.348/55.C52S  
F.70.348/55.C52M

---

**Roof Spoiler with Brake Light**  
Assembly

F.70.348/55.CB53S  
F.70.348/55.CB53M

---

**Rear Diffusers**  
Assembly

F.70.355.54S  
F.70.355.54M

---

## Aerodynamics

### Epoxyd Carbon Composite

- ❖ Made from Carbon reinforced Epoxyd Composite
- ❖ To be painted colour matching
- ❖ Manufactured after highest quality standards
- ❖ Characterized through exact fitting
- ❖ Only 15 % more weight than carbon fibre

#### **Linea Sprint**

#### **Order-No.**

---

**Spoiler Lip**  
Assembly & Paintwork

F.70.355.G51S  
F.70.355.G51M

---

**Roof Spoiler**  
Assembly & Paintwork

F.70.348/55.G52S  
F.70.348/55.G52M

---

**Roof Spoiler with Brake Light**  
Assembly & Paintwork

F.70.348/55.GB53S  
F.70.348/55.GB53M

---

## Aluminum Wheels

### Imola Racing Exclusive Wheel "Fiorano III"



- ❖ Very light three piece 19" aluminum rim finished in sterling silver
- ❖ Titanium screws and outer lips in high gloss polished
- ❖ Effectively fill out the wheel arches giving a fuller and wider appearance
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany
- ❖ Centres paintable

Front Axle	Rear Axle	Order-No.
8,0 x 19		F.80.F.8019S
8,5 x 19		F.80.F.8519S
	10,5 x 19	F.80.F.10519S
	11,0 x 19	F.80.F.11019S

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Pirelli high performance tyres
- ❖ Completely assembled and balanced

Front Axle	Rear Axle	Order-No.
8,0 x 19 225/35 R 19	10,5 x 19 295/30 R 19	F.85.F.80105R19R
8,5 x 19 235/35 R 19	11,0 x 19 295/30 R 19	F.85.F.85110R19R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

## Aluminum Wheels

### Imola Racing Exclusive Wheel "Challenge III"

- ❖ Very light three piece 18", 19" & 20" aluminum rim in sterling silver
- ❖ Titanium screws and outer lips in high gloss polished
- ❖ Effectively fill out the wheel arches giving a fuller and wider appearance
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany



Front Axle	Rear Axle	Order-No.
8,0 x 18		F.80.CH.8018S
8,5 x 18		F.80.CH.8518S
	10,0 x 18	F.80.CH.10018S
	10,5 x 18	F.80.CH.10518S
8,0 x 19		F.80.CH.8019S
8,5 x 19		F.80.CH.8519S
	10,0 x 19	F.80.CH.10019S
	10,5 x 19	F.80.CH.10519S
9,0 x 20		F.80.CH.9020S
	10,0 x 20	F.80.CH.10020S

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Front Axle	Rear Axle	Order-No.
8,0 x 18 225/40 R 18	10,0 x 18 265/40 R 18	F.85.CH.80100R02R
8,5 x 18 225/40 R 18	10,5 x 18 295/35 R 18	F.85.CH.85105R03R
8,0 x 19 225/35 R 19	10,0 x 19 295/30 R 19	F.85.CH.80100R10R
8,5 x 19 235/35 R 19	10,5 x 19 295/30 R 19	F.85.CH.85105R11R
9,0 x 20 245/30 R 20	10,0 x 20 285/25 R 20	F.85.CH.90100R20R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

## Aluminum Wheels

### Imola Racing Exclusive Wheel "Monza I"



- ❖ 1 pc. Aluminum rim in 18"
- ❖ Finished in sterling silver, black or chrome
- ❖ Effectively fill out the wheel arches
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany

<b>Silver</b>	Front Axle	Rear Axle	Order-No.
	8,0 x 18	10,0 x 18	F.80.M.08018S F.80.M.10018S
<b>Black</b>	Front Axle	Rear Axle	Order-No.
	8,0 x 18	10,0 x 18	F.80.MS.08018S F.80.MS.10018S
<b>Chrome</b>	Front Axle	Rear Axle	Order-No.
	8,0 x 18	10,0 x 18	F.80.MC.08018S F.80.MC.10018S

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

<b>Silver</b>	Front Axle	Rear Axle	Order-No.
	8,0 x 18 225/40 R 18	10,0 x 18 265/40 R 18	F.85.M.80100R02R
<b>Black</b>	Front Axle	Rear Axle	Order-No.
	8,0 x 18 225/40 R 18	10,0 x 18 265/40 R 18	F.85.MS.80100R02R
<b>Chrome</b>	Front Axle	Rear Axle	Order-No.
	8,0 x 18 225/40 R 18	10,0 x 18 265/40 R 18	F.85.MC.80100R02R

Assembly per vehicle 85.00M



# Spacers

Imola Racing Exclusive

- ❖ Improves general performance and handling
- ❖ Fill out wheel arch, fuller and wider appearance
- ❖ Type-approved by German TÜV
- ❖ Quality made in Germany



mm/Wheel Front Axle	mm/Wheel Rear Axle	mm/Axle	System	Order-No.
10		20	1	F.40.0250T
15		30	1	F.40.0261T
	15	30	1	F.40.0261T
	20	40	2	F.40.1760T
	25	50	2	F.40.1770T
Assembly / Axle System 1				F.40.01M
Assembly / Axle System 2				F.40.02M

## System 1

The standard size (15 mm per wheel) is made of highly-strength alloy and is predicted with a special high quality anti-corrosion coating. This wheel spacer type is always delivered with a longer wheel bolt of 10.9 steel quality and OEM optic.


## System 2

Special sizes (from 20 mm upwards per wheel) are made of highly-strength alloy and are protected with a special high-quality anti-corrosion coating. These spacers are to be fixed onto the hub with the added screws.

# Sports Springs

Effective Chassis Lowering

- ❖ Distinctive increment of driving stability
- ❖ Improved handling with higher traction limits



Specification	Order-No.
<b>Set of 4 Sports Springs</b> Drop of 35-40mm	F.10.355.01S
Assembly incl. electronic suspension alignment	F.10.355.01M

# Exhaust valves control unit, remote controlled

Sound on or off

- ❖ very compact control unit with small remote control
- ❖ easy plug and play installation by original plugs

Specification	Order-No.
<b>control unit with remote control</b>	F.28.355.01R
Assembly	F.28.355.01M

# Sports Brake System

Superior Stopping Power

- ❖ High performance brake systems
- ❖ Race tested
- ❖ Substantially increased stability and pressure sensitivity



## Specification

## Order-No.

### 4 Brake Discs

Ø 355 mm, ventilated, cross grooved

### 4 Race Callipers

### Sports Braking Pads

### 4 Steel Flex Hoses

Front / Rear

F.30.355.01R

Assembly incl. High Performance Brake Fluid

F.30.355.01M

### 1 Set Sports Brake Pads

As replacement per axle for FA

F.30.355.02S

As replacement per axle for RA

F.30.355.03S

Assembly / Axle

F.30.355.02/03M

# Brake Kit Carozzeria Scagletti Sports

Original Scagletti

- ❖ For upgrade of standard brake
- ❖ Higher brake performance
- ❖ Exacte pressure sensitivity



## Specification

## Order-No.

### 4 Original Ferrari Brake Callipers wit Logo red/yellow/silver/titan (only in exchange)

F.30.355.10R

Assembly / Axle

F.30.355.10M

### 2 Drilled Brake Discs

for original brake callipers in front

F.30.355.11Q

Assembly

F.30.355.11M

### 2 Drilled Brake Discs

for original brake callipers in rear

F.30.355.12Q

Assembly

F.30.355.12M

### 1 Set Sports Braking Pads Front

F.30.355.13T

Assembly

F.30.355.13M

### 1 Set Sports Braking Pads Rear

F.30.355.14T

Assembly

F.30.355.14M

### 4 Steel Flex Brake Hoses

for original brake system

F.30.355.15S

Assembly

F.30.355.15M

## Sports Exhaust

Pure Ferrari Sound



- ❖ Handmade from stainless steel, irresistible sound
- ❖ Power increment through substantial dynamic pressure reduction
- ❖ Optimized heat diversion providing improved thermal engine conditions

Model	Specification	Order-No.
<b>GTB/ GTS/Spider Manual /F1</b>	Stainless Steel Exhaust Tail Pipes 4 x 72 mm	F.20.355.01S
Assembly		F.20.355.01M

## Sports Exhaust Tail Pipes

Sportive Looks, Standard Sound

- ❖ To be welded to original exhaust
- ❖ Polished, double layer stainless steel

Model	Specification	Order-No.
<b>GTB/ GTS/Spider Manual /F1</b>	Set for R & L Tail Pipes 2 x 72 mm	F.22.355.01S
Assembly		F.22.355.01M

## Sports Catalysts

Sound & Performance

- ❖ Increment of performance, full sound
- ❖ Extremely heat resistant



Specification	Order-No.
<b>Sports Metal Catalysts</b> 2 pcs. 200 Cell (parts in exchange)	F.25.355.01R
<b>Sports Metal Catalysts</b> 2 pcs. 400 Cell (parts in exchange)	F.25.355.02R
Assembly	F.25.355.00M
<b>Catalyst Replacement Pipes</b>	F.25.355.03S
Assembly	F.25.355.00M
<b>Throttle Valve Replacement up to 1996</b>	F.21.355.01S
<b>Throttle Valve Replacement from 1996</b>	F.21.355.02S
Assembly	F.25.355.00M

# Engine Tuning Complete Kits

## Superior Power

- ❖ Over 10 years experience with Ferrari engines
- ❖ Durability tested on race track
- ❖ Highest quality standards
- ❖ increased rev.-limiter --> higher top speed possible

### **Step 1 309 KW / 420 HP**

**Order-No.**

Modifikation of motronic (ECU), sports exhaust system,  
sports air filter, modified intake air flow

**Power Increment:** 30 KW/40 HP  
**max. Torque:** 380 Nm  
**max. RPM:** 9.300 U/min F.50.355.10S

Assembly F.50.355.01M

### **Step 2 316 KW /430 HP**

**Order-No.**

Modifikation of motronic (ECU), sports exhaust system,  
sports air filter, modified intake air flow  
2x200 cell metal sports catalyts (in exchange)

**Power Increment:** 37 KW / 50 HP  
**max. Torque:** 380 Nm  
**max. RPM:** 9.300 U/min F.50.355.K11S

With Catalyst Replacement Pipes F.50.355.E02S

Assembly F.50.355.02M

### **Step 3 327 KW / 445 HP**

**Order-No.**

Modifikation of motronic (ECU), sports exhaust system,  
sports air filter, modified intake air flow  
2x200 cell metal sports catalyts (in exchange),  
patented Fuel Colling Sysytem

**Power Increment:** 48 KW / 65 HP  
**max. Torque:** 384 Nm  
**max. RPM:** 9.500 U/min F.50.355.K12S

With Catalyst Replacement Pipes F.50.355.E03S

Assembly incl. air condition refill F.50.355.03M

### **Step 4 331 KW / 450 HP**

**Order-No.**

Modifikation of motronic (ECU), sports exhaust system,  
sports air filter, carbon heat shield for air filter housing  
2x200 cell metal sports catalyts (in exchange),  
patented fuel cooling system, Kevlar Carbon  
Air Box

**Power Increment:** 52 KW / 70 HP  
**max. Torque:** 385 Nm  
**max. RPM:** 9.500 U/min F.50.355.K13S

With Catalyst Replacement Pipes F.50.355.E04S

Assembly incl. air condition refill F.50.355.04M

# Engine Tuning Single Components

## Superior Power

- ✦ Substantial Output increment
- ✦ Race track approved Imola Racing exclusive developments

### Specification

### Order-No.

#### Modification of Motronic (ECU)

increased rev.-limiter → higher top speed possible

**Power Increment:** 15 KW / 20 HP

**max. RPM:** 9.300 U/min

**V-max.:** über 300 km/h

F.50.355.01R

Assembly

F.50.355.10M

#### F1 Gearbox performance

increased shift times (faster) for F1 gearbox  
modification GCU

F.50.355.06R

Assembly

F.50.355.15M

#### Patented Fuel Cooling System

Only in combination with ECU modification

**Power Increment:** 11 KW / 15 HP\*

F.50.355.02S

Assembly incl. air condition refill

F.50.355.11M

#### Carbon-Airbox incl.

##### Sports Air Filter & Titan Heat Shield

Only in combination with optimized air flow system

**Power Increment:**

**Version 2.7:** 7 KW / 12 HP

F.50.355/1.03R

**Version 5.2:** 12 KW / 16 HP

F.50.355/2.03R

Assembly

F.50.355.12M

#### Sports Air Filter

**2 pcs. for Version 2.7 & 5.2**

**Power Increment:** 3 KW / 5,5 HP

F.50.355.04R

Assembly

F.50.355.13M

#### Optimized Intake Air Flow System

Only in combination with air filters

**Power Increment:**

**Version 2.7:** 4 KW / 6 HP

F.50.355/1.05S

**Version 5.2:** 7 KW / 10 HP

F.50.355/2.05S

Assembly Version 2.7

F.50.355/1.14M

Assembly Version 5.2

F.50.355/2.14M

\*For warm/hot engine

## Engine Bay

### Carbon Upgrade Kit

- ✦ Visual and technical upgrade of engine bay

### Specification

### Order-No.

#### Carbon Exhaust Cover

with Heat Protection Matt

F.24.355.01S

Assembly

F.24.355.01M

#### Carbon Side Panels R+L

F.24.355.02S

Assembly

F.24.355.02M

## Airbag Sports Steering Wheels

### Direct Car Control

- ✦ Substantially improved car control through direct feeling
- ✦ More sportive looks

Specification	Size	Order-No.
Leather	∅ 320	F.94.00.L32R
Leather (with perforated Grip Zone)	∅ 320	F.94.00.LP32R
Leather	∅ 340	F.94.00.L34R
Leather / Aluminium	∅ 340	F.94.00.A34R
Leather / Carbon	∅ 340	F.94.00.C34R
Leather	∅ 360	F.94.00.L36R
Leather / Carbon	∅ 360	F.94.00.C36R
Assembly		F.94.00.02M
Surcharge for Colour Stitching		F.94.00.FN01R
Surcharge for Colour Leather		F.94.00.FL01R

## Sports Steering Wheels

### Direct Car Control

- ✦ Improved car control through more precise feedback
- ✦ System with adapter
- ✦ Sportive looks
- ✦ fits for Imola Racing or original Ferrari horn button



Specification	Size	Order-No.
Competition Leather	∅ 350	F.94.COLE.35R
Champion Material Mix	∅ 350	F.94.CHMM.35R
Race Material Mix	∅ 320	F.94.RAMM.32R
Race Material Mix	∅ 350	F.94.RAMM.35R
Corse Leather	∅ 320	F.94.CRLE.32R
Corse Leather	∅ 350	F.94.CRLE.35R
Corse Suede	∅ 330	F.94.CRWL.33R
Corse Suede	∅ 350	F.94.CRWL.35R
Adapter 40 mm	without Airbag	F.94.AOA.40R
Adapter 60 mm	without Airbag	F.94.AOA.60R
Adapter 60 mm	with Airbag	F.94.AMA.60R
Adapter Extension 60 mm for original Airbag Steering Wheel		F.94.NVA.60R
Assembly		F.94.00.01M

## Sports Seats

### Superior Quality

- ❖ Comfortable Seat with hull in compound fibre
- ❖ Leather seating and sides, backside visible fibre
- ❖ With integrated headrest and seatbelt guidance
- ❖ Consoles for original mounting



#### Specification

#### Order-No.

---

**Seat in leather**

with console

Assembly

F.90.CORS.01R

F.90.CORS.01M

---

**Surcharge for coloured hull**

F.90.LACK.01P

---

**Surcharge for material mix**

leather/alcantara

uni or two tone

F.90.MIX.01P

---

**Surcharge for sewing of middle part  
in Daytona-Design**

F.90.MARA.01P

---

## Sports Seats

### Imola Racing Sportivo

- ❖ Ergonomic sport seat with various adjustment functions
- ❖ With integrated headrest and seatbelt guidance (optional)
- ❖ For original seat consoles



#### Specification

#### Order-No.

---

**Sport**

Leather uni, black or creme

Assembly

F.90.SPOR.01R

F.90.SPOR.01M

---

**Comfort packet**

Leather uni, black or creme

Surcharge for elec. hight / oitch adjustment  
and Airmatik

Assembly

F.90.SPOR.02P

F.90.SPOR.02M

---

**Luxus packet**

Leather uni, black or creme

Surcharge for elec. seat back rest,  
seat heating / ventilation and perforated  
seat and back rest centres

Assembly

F.90.SPOR.03P

F.90.SPOR.03M

---

**Surcharge for seatbelt guidance  
through Headrest**

F.90.SPOR.04P

---

**Surcharge for material mix Leather/Alcantara**

F.90.MIX.01P

---

**Surcharge for special Stitching of  
Seat Centers**

F.90.DESIGN.01P

---

## Velour Carpets

### OEM Quality Equipment

- ❖ Tasteful handcrafted finish
- ❖ Finest velours quality
- ❖ Non slippery



Base Colour	Piping	Order-No.
Black Black Creme Tan	Red Yellow Creme Tan	F.95.355.00V
Surcharge for piping in leather		F.95.355.10V

## Car Cover

### Effective Protection

- ❖ Fits various modells, custom made available
- ❖ Perfect protection, no condensation
- ❖ With rubber bands, zipper entry on driver side and carry on bag

Specification	Order-No.
Car Cover Contour (standard form)	MMSR
Car Cover Individual (custom form)	CCN355R
Roof Upholstery (strongly recommended for convertibles )	CCD355R
2. Mirror Cover	CCS355R

## Carbon Interior

Pure Racing Technology

- ❖ Black or Silver Carbon, finished in high gloss polish
- ❖ Special parts and individual interiors upon request
- ❖ Various colours available upon request. Surcharge of 30 % will apply



Specification	Order-No.
<b>Main Instruments Frame</b>	F.92.355.01S
Assembly	F.92.355.01M
<b>Additional Instruments Frame</b> (in exchange)	F.92.355.02S
Assembly	F.92.355.02M
<b>Cover round shifting gate</b> (in exchange)	F.92.355.03S
Assembly	F.92.355.03M
<b>Ashtray</b> (in exchange) incl. cover right from Ashtray	F.92.355.04S
Assembly	F.92.355.04M
<b>Entrace step cover R+L</b>	F.92.355.05S
Assembly	F.92.355.05M
<b>Door handle set</b>	F.92.355.06S
Assembly	F.92.355.06M
<b>F1 Shift Paddles</b> Long Version as Challenge Model R+L	F.92.355.07R
Assembly	F.92.355.07M
<b>Stainless steel ledge with Imola Racing Logo</b> for the original entrance cover (as replace for rubber ledge)	F.91.EL.08S
Assembly	F.91.EL.08M

Custom tailored parts available upon request.



## Aluminum Interior

High Tech Race Looks

- ❖ CNC milled aluminum in fine matt finish

Specification	Order-No.
<b>Hand Brake Grip</b>	F.91.HBG.01T
Assembly	F.91.HBG.01M
<b>Door Handle</b>	F.91.TÜK.01T
Assembly	F.91.TÜK.01M

Custom tailored parts available upon request.

## Leather Interior

### Additional Leather Sets

- ❖ Colour matching original colour or in colour of choice
- ❖ OEM leather quality
- ❖ Choice of leather, alcantara or leather/alcantara material mix
- ❖ Uni coloured or colour combinations

Specification	Order-No.
<b>Door Panel (per Door)</b>	F.93.355.01P
Assembly	F.93.355.01M
<b>Seat Centre Lane (per Seat)</b>	F.93.355.02P
Assembly	F.93.355.02M
<b>Roof Lining (Coupe)</b>	F.93.355.03P
Assembly	F.93.355.03M
<b>Targa Roof Lining</b>	F.93.355.04P

Custom tailored soloutinos available upon request.

## Design Lamps

### Lamp Protection & Upgrade Set



- ❖ Modern looks

Specification	Colour	Order-No.
<b>2 Turn Signals R+L</b>	<b>Black</b> <b>White</b>	F.65.S01T F.65.W01T
Assembly		F.65.00M
<b>4 Tail Lights 2 x R+L</b>	<b>Black</b> <b>White</b>	F.65.S03Q F.65.W03Q
Assembly		F.65.03M

#### Conditions an additional notes

All prices are plus shipping and packing. All goods are ex-warehouse and bills are to be settled by cash upon delivery service or paid by credit card. All deliveries are subject to our General Business Conditions. With the publication of this list all previous lists become invalid. Prices and technical specifications can be changed. All mistakes reserved.





**Dimex Automotive Group**

Fritz-Haber-Strasse 3  
D-65203 Wiesbaden  
Germany

Tel +49 (611) 505606-0  
Fax +49 (611) 505606-99

Mail [info@dimex-group.com](mailto:info@dimex-group.com)  
Net [www.dimex-group.com](http://www.dimex-group.com)

Validity: January 2007