



Product List Ferrari F430

Content

Aerodynamics & Design
Convertible Roof Remote
Aluminum Wheels
Wheel Sets
Spacers
Sport Springs
Sports Brake System
Brake Performance Components
Sports Exhaust
Tail Pipes
Sports Catalysts
Engine Tuning Complete Kits
Engine Tuning Single Components
Aluminum Interior
Carbon Interior
Sport Seats
Velour Carpets



Aerodynamics

Carbon Super Light Weight



- ✦ All parts hand made from carbon fibre
- ✦ Finished in transparent high gloss polished or matt
- ✦ Sportive, individual and fine looks
- ✦ Improved aerodynamics, specially increased down force
- ✦ Manufactured after highest quality standards and characterized through exact fitting

Linea Sprint

Order-No.

Front Spoiler Assembly	F.70.430.70S F.70.430.70M
Side Skirts R+L Assembly	F.70.430.71S F.70.430.71M
Rear Diffuser Assembly	F.70.430.72S F.70.430.72M
Rear Wing Assembly	F.70.430.73S F.70.430.73M

Assembly prices include disassembly of existing parts and are only valid for assembly at Dimex facility.

Linea GT EVO

Order-No.

GT-Evo Front Bumper with Carbon Spoiler Lip* Assembly	F.70.430.60S F.70.430.60M
GT-Evo Side Skirts R+L Assembly	F.70.430.61S F.70.430.61M
GT-Evo Rear Wing Assembly	F.70.430.62S F.70.430.62M
GT-Evo Rear Diffuser Assembly	F.70.430.63S F.70.430.63M

Assembly prices include disassembly of existing parts and are only valid for assembly at Dimex facility. * Available approx. September 2006

Original Carbon Bodyparts

- ✦ 100 % Carbon, top quality, exact fitting

Specification

Order-No.

Splitter in Front Spoiler Assembly	F.71.430.01R F.71.430.01M
Rear Diffuser Assembly	F.71.430.02R F.71.430.02M
Cover Airintake in Front Bumper Assembly	F.71.430.03R F.71.430.03M
Ventilation Frame tailgate L & R next to the Engine Bonnet Window Assembly	F.71.430.04R F.71.430.04M

Aerodynamics

Epoxyd Carbon Composite



- ✦ Made from Carbon reinforced Epoxyd Composite, to be painted colour matching
- ✦ Sportive, individual and exclusive look
- ✦ Improved aerodynamics, specially increased down force
- ✦ Manufactured after highest quality standards and characterized through exact fitting
- ✦ Only 15 % more weight than carbon fibre

Linea Sprint

Order-No.

Front Spoiler Assembly & Paintwork	F.70.430.E70S F.70.430.70LM
Side Skirts R+L Assembly & Paintwork	F.70.430.E71S F.70.430.71LM
Rear Diffuser Assembly & Paintwork	F.70.430.E72S F.70.430.72LM
Rear Wing Assembly & Paintwork	F.70.430.E73S F.70.430.73LM

Assembly & paintwork prices include disassembly of existing parts and are only valid for assembly at Dimex facility..

Linea GT EVO

Order-No.

GT-Evo Front Bumper with Carbon Spoiler Lip* Assembly & Paintwork	F.70.430.E60S F.70.430.60LM
GT-Evo Side Skirts R+L Assembly & Paintwork	F.70.430.E61S F.70.430.61LM
GT-Evo Rear Wing Assembly & Paintwork	F.70.430.E62S F.70.430.62LM
GT-Evo Rear Diffuser Assembly & Paintwork	F.70.430.E63S F.70.430.63LM

Assembly & paintwork prices include disassembly of existing parts and are only valid for assembly at Dimex facility..

Design Parts

Lamps



- ✦ Modern look & protection equipment

Specification	Colour	Order-No.
2 Side Turn Signals R+L	Black White	F.65.S01T F.65.W01T
Assembly		F.65.00M
Lamp Cover Sheeting	Transparent	F.65.LS01T
Assembly		F.65.LS01M
4 Tail Lights 2 x R+L	Black White	F.65.S02Q F.65.W02Q
Assembly		F.65.02M

Aluminum Wheels

Imola Racing Exclusive Wheel "Daytona"

- ❖ 1 pc. Aluminum rim in 20"
- ❖ Diamond polished lip, 3 pcs. design
- ❖ Effectively fill out the wheel arches
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany



Silver	Front Axle	Rear Axle	Order-No.
	9,0 x 20		F.80.D.9020S
		10,0 x 20	F.80.D.10020S

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

Black	Front Axle	Rear Axle	Order-No.
	9,0 x 20		F.80.DS.9020S
		10,0 x 20	F.80.DS.10020S

Wheel Sets

Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Silver	Front Axle	Rear Axle	Order-No.
	9,0 x 20 245/30 R 20	10,0 x 20 285/30 R 20	F.85.D.90100R21R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

Black	Front Axle	Rear Axle	Order-No.
	9,0 x 20 245/30 R 20	10,0 x 20 285/30 R 20	F.85.DS.90100R21R

Assembly per vehicle 85.00M

Aluminum Wheels

Imola Racing Exclusive Wheel "Mistral I"

- ❖ 1 pc. Aluminum rim in 20"
- ❖ Diamond polished lip, 3 pcs. design
- ❖ Effectively fill out the wheel arches
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany



Silver	Front Axle	Rear Axle	Order-No.
	9,0 x 20		F.80.MI1.9020S
		10,0 x 20	F.80.MI1.10020S

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

Black	Front Axle	Rear Axle	Order-No.
	9,0 x 20		F.80.MIS1.9020S
		10,0 x 20	F.80.MIS1.10020S

Wheel Sets

Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Silver	Front Axle	Rear Axle	Order-No.
	9,0 x 20 245/30 R 20	10,0 x 20 285/30 R 20	F.85.MI1.90100R21R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

Black	Front Axle	Rear Axle	Order-No.
	9,0 x 20 245/30 R 20	10,0 x 20 285/30 R 20	F.85.MIS1.90100R21R

Assembly per vehicle 85.00M

Aluminum Wheels

Imola Racing Exclusive Wheel "Mistral III"



- ✧ Very light three piece 19" + 20" aluminum rim finished in sterling silver
- ✧ Titanium screws and outer lips in high gloss polished
- ✧ Effectively fill out the wheel arches giving a fuller and wider appearance
- ✧ For use with OEM center cap or Imola Racing center cap
- ✧ Quality made in Germany
- ✧ Centres paintable

Silver	Front Axle	Rear Axle	Order-No.
	8,5 x 19*)**		F.80.MI3.8519S
	8,5 x 20**		F.80.MI3.8520S
	9,0 x 20**		F.80.MI3.9020S
		10,5 x 19*)**	F.80.MI3.10519S
		10,0 x 20**	F.80.MI3.10020S
		11,0 x 20**	F.80.MI3.11020S

* For use with standard tyres.

** not for use with Carbon Brake

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies..

Wheel Sets

Ready to mount set of 4 wheels

- ✧ In combination with Michelin or Pirelli high performance tyres
- ✧ Completely assembled and balanced

Silver	Front Axle	Rear Axle	Order-No.
	8,5 x 20 235/30 R 20	10,0 x 20 285/30 R 20	F.85.MI3.85100R20R
	8,5 x 20 235/30 R 20	11,0 x 20 305/25 R 20	F.85.MI3.85110R20R
	9,0 x 20 245/30 R 20	11,0 x 20 325/25 R 20	F.85.MI3.90110R20R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

Aluminum Wheels

Imola Racing Exclusive Wheel "Fiorano II"



- ❖ Light 2 pc. 20" aluminum rim finished in sterling silver
- ❖ Outer lips in high gloss polished
- ❖ Effectively fill out the wheel arches
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany
- ❖ Centres paintable

Silver	Front Axle	Rear Axle	Order-No.
	8,5 x 20**		F.80.F2.8520S
	9,0 x 20**		F.80.F2.9020S
		10,0 x 20**	F.80.F2.10020S
		11,0 x 20**	F.80.F2.11020S
		12,0 x 20**	F.80.F2.12020S

**not for use with Carbon Brake

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

Wheel Sets

Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Silver	Front Axle	Rear Axle	Order-No.
	8,5 x 20 235/30 R 20	10,0 x 20 285/30 R 20	F.85.F2.85100R20R
	8,5 x 20 235/30 R 20	11,0 x 20 305/25 R 20	F.85.F2.85110R20R
	9,0 x 20 245/30 R 20	11,0 x 20 325/25 R 20	F.85.F2.90110R20R
	9,0 x 20 245/30 R 20	12,0 x 20 325/25 R 20	F.85.F2.90120R20R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

Aluminum Wheels

Imola Racing Exclusive Wheel "Challenge II"



- ❖ Light 2 pc. 20" aluminum rim finished in sterling silver
- ❖ Outer lips in high gloss polished
- ❖ Effectively fill out the wheel arches
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany

Silver	Front Axle	Rear Axle	Order-No.
	8,5 x 20		F.80.CH2.8520S
	9,0 x 20		F.80.CH2.9020S
		10,0 x 20	F.80.CH2.10020S
		11,0 x 20	F.80.CH2.11020S
		12,0 x 20	F.80.CH2.12020S

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

Wheel Sets

Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Silver	Front Axle	Rear Axle	Order-No.
	8,5 x 20 235/30 R 20	10,0 x 20 285/30 R 20	F.85.CH2.85100R20R
	8,5 x 20 235/30 R 20	11,0 x 20 305/25 R 20	F.85.CH2.85110R20R
	9,0 x 20 245/30 R 20	11,0 x 20 325/25 R 20	F.85.CH2.90110R20R
	9,0 x 20 245/30 R 20	12,0 x 20 325/25 R 20	F.85.CH2.90120R20R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

Aluminum Wheels

Imola Racing Exclusive Wheel "Challenge III"

- ❖ Very light three piece 20" aluminum rim finished in sterling silver
- ❖ Titanium screws and outer lips in high gloss polished
- ❖ Effectively fill out the wheel arches giving a fuller and wider appearance
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany



Silver	Front Axle	Rear Axle	Order-No.
	8,5 x 20**		F.80.CH.8520S
	9,0 x 20**		F.80.CH.9020S
		10,0 x 20**	F.80.CH.10020S
		11,0 x 20**	F.80.CH.11020S

**not for use with Carbon Brake

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

Wheel Sets

Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Silver	Front Axle	Rear Axle	Order-No.
	8,5 x 20 235/30 R 20	10,0 x 20 285/30 R 20	F.85.CH.85100R20R
	8,5 x 20 235/30 R 20	11,0 x 20 305/25 R 20	F.85.CH.85110R20R
	9,0 x 20 245/30 R 20	11,0 x 20 325/25 R 20	F.85.CH.90110R20R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

Aluminum Wheels

Imola Racing Exclusive Wheel "Nardo III"



- ❖ Very light three piece 20" aluminum rim finished in sterling silver
- ❖ Titanium screws and outer lips in high gloss polished
- ❖ Effectively fill out the wheel arches giving a fuller and wider appearance
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany

Silver	Front Axle	Rear Axle	Order-No.
	8,5 x 20**		F.80.N.8520S
	9,0 x 20**		F.80.N.9020S
		10,0 x 20**	F.80.N.10020S
		11,0 x 20**	F.80.N.11020S

**not for use with Carbon Brake

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

Wheel Sets

Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Silver	Front Axle	Rear Axle	Order-No.
	8,5 x 20 235/30 R 20	10,0 x 20 285/30 R 20	F.85.N.85100R20R
	8,5 x 20 235/30 R 20	11,0 x 20 305/25 R 20	F.85.N.85110R20R
	9,0 x 20 245/30 R 20	11,0 x 20 325/25 R 20	F.85.N.90110R20R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

Spacers

Imola Racing Exclusive



- ❖ Improves general performance and handling
- ❖ Fill out wheel arch, fuller and wider appearance
- ❖ Type-approved by German TÜV
- ❖ Quality made in Germany

mm/Wheel Front Axle	mm/Wheel Rear Axle	mm/Axle	System	Order-No.
10		20	1	F.40.0250T
15*		30	1	F.40.0261T
	15	30	1	F.40.0261T
	20	40	2	F.40.1760T
Assembly / Axle	System 1			F.40.01M
Assembly / Axle	System 2			F.40.02M

* Possibly bodywork modifications necessary

System 1

The standard size (15 mm per wheel) is made of highly-strength alloy and is predicted with a special high quality anti-corrosion coating. This wheel spacer type is always delivered with a longer wheel bolt in 10.9 steel quality.


System 2

Special sizes (from 20 mm upwards per wheel) are made of highly-strength alloy and are protected with a special high-quality anti-corrosion coating. These spacers are to be fixed onto the hub with the added screws.

Sport Springs

Effective Chassis Lowering

- ❖ Distinctive increment of driving stability
- ❖ Improved handling with higher traction limits



Specification	Order-No.
Set of 4 Sport Springs Drop of 35-40mm	F.10.430.01S
Assembly incl. electronic suspension alignment	F.10.430.01M

Sport Brake System

Superior Stopping Power

- ❖ High performance brake systems
- ❖ Race tested
- ❖ Substantially increased stability and pressure sensitivity



Specification

Order-No.

4 Brake Discs

Ø 380 mm, ventilated, cross grooved

4 Race Callipers

6 piston in front, 4 piston in rear

Sport Braking Pads

4 Steel Flex Hoses

Front / Back

2 Special Rear Axle Connentors

F.30.430.01Q

Assembly incl. High Performance Brake Fluid

F.30.430.01M

1 Set Sport Brake Pads

As replacement for FA

F.30.430.02R

As replacement for RA

F.30.430.03R

Assembly / Axle

F.30.430.02/03M

Sport Brake Kit

Brake Power Upgrade

- ❖ For upgrade of original Brake
- ❖ Highly improved braking power
- ❖ Exact pressure sensitivity



Specification

Order-No.

Brake Upgrade Kit

Sport-Brake Pads

Front / Rear

Steel Flex Hoses

Front / Rear

F.30.430.10T

Assembly incl. High Performance Brake Fluid

F.30.430.10M

1 Set Sport Brake Pads Front Axle

F.30.430.11T

Assembly

F.30.430.11M

1 Set Sport Brake Pads Rear Axle

F.30.430.12T

Assembly

F.30.430.12M

4 Steel Flex Hoses

Front / Rear

F.30.430.13S

Assembly incl. High Performance Brake Fluid

F.30.430.13M

Sports Exhaust

Pure Ferrari Sound

- ❖ Handmade from stainless steel, irresistible sound
- ❖ Power increment through substantial dynamic pressure reduction
- ❖ Equal fill of both tailpipe pairs
- ❖ Optimized heat diversion providing improved thermal engine conditions



Model	Specification	Order-No.
Coupe/ Spider Manual F1	Tail Pipes 4 x 90 mm double layer structure	F.20.430.01S
Assembly		F.20.430.01M

Sports Exhaust Tail Pipes

Sportive Looks, Standard Sound

- ❖ Spectacular looks
- ❖ Perfect fitting on original exhaust
- ❖ Polished, double layer stainless steel

Model	Specification	Order-No.
Coupe/ Spider Manual F1	Tail Pipes 4 x 90 mm double layer structure	F.22.430.01S
Assembly		F.22.430.01M

Sports Catalysts

Sound & Performance

- ❖ Increment of performance, full sound
- ❖ Extremely heat resistant



Specification	Order-No.
Sports Metal Catalysts 2 pcs. 200 Cell in parts exchange	F.25.430.01R
Sport-Metal Catalysts 2 pcs. 200 Cell as new part	F.25.430.02R
Catalyst Replacement Pipes 2 pcs	F.25.430.03S
Assembly	F.25.430.00M

Engine Tuning Complete Kits

Superior Power

- ❖ Superior Acceleration
- ❖ Durability tested on race track
- ❖ Highest quality standards
- ❖ increased rev.-limiter --> higher top speed possible



Step 1 380,9 KW / 518 HP

Order-No.

Modifikation of Motronic (ECU), carbon airbox with oil separator

Power Increment: 20 KW/28 HP
max. Torque: 489 Nm
max. RPM: 8.800 U/min

F.50.430.10S

Assembly

F.50.430.01M

Step 2 389,8 KW / 530 HP

Order-No.

Modifikation of motronic (ECU), carbon airbox with oil separator, 2x200 cell metal sports catalyts

Power Increment: 29 KW / 40 HP
max. Torque: 506 Nm
max. RPM: 8.800 U/min

F.50.430.K11S

With Catalyst Replacement Pipes

F.50.430.E02S

Assembly

F.50.430.02M

Step 3 398 KW / 542 HP

Order-No.

Modifikation of motronic (ECU), carbon airbox with oil separator, 2x200 cell sports metal catalyts, patented fuel cooling system

Power Increment: 38 KW / 52 HP
max. Torque: 536 Nm
max. RPM: 8.900 U/min
V-max.: over 320 Km/h

F.50.430.K12S

With Catalyst Replacement Pipes

F.50.430.E03S

Assembly incl. air condition refill

F.50.430.03M

Step 4 431 KW / 586 HP

Order-No.

Modifikation of motronic (ECU), carbon airbox with oil separator, 2x200 cell sports metal catalyts, patented fuel cooling system, high flow canal optimized and polished cylinder head, modified valves, ball polished connection rods, sports cam shafts, optimized intake manifold, weight reduced crank shaft, optimized manifold,

Power Increment: 70 KW / 96 HP
max. Torque: 601 Nm
max. RPM: 9.250 U/min
V-max.: over 325 Km/h

F.50.430.K13S

Assembly incl. air condition refill

F.50.430.04M

Prerequisite for output quotation is always the full availability of nominal stock power of 360KW/490 HP

Engine Tuning Single Components

Superior Power

- ✦ Substantial Output increment
- ✦ Imola Racing exclusive developments
- ✦ Highest quality standards



Specification

Order-No.

Modification of Motronic (ECU)

increased rev.-limiter → higher top speed possible

Power Increment: 15 kW / 20 PS

max. RPM: 8.800 U/min

V-max.: over 300 km/h

F.50.430.01S

Assembly

F.50.430.10M

F1 Gearbox performance

increased shift times (faster) for F1 gearbox
modification GCU

F.50.430.05R

Assembly

F.50.430.14M

Patented Fuel Cooling System

Only in combination with ECU modification

Power Increment: 11 kW / 15 PS

F.50.430.02S

Assembly incl. air condition refill

F.50.430.11M

Carbon-Airbox incl.

Sports Air Filters

Carbon Heat Shield

Power Increment: 7 kW / 12 PS

F.50.430.03R

Assembly

F.50.430.12M

Sports Airfilters

2 Pcs.

Power Increment: 3 kW / 5 PS

F.50.430.04R

Assembly

F.50.430.13M

Engine Bay Upgrades

High Tech Materials for Optical Upgrade

- ✦ Engine Bay Covers and Panels from Carbon

Specification

Order-No.

Carbon Heat Shield between

Catalysts and Air Filter Housing

F.24.430.01T

Assembly

F.24.430.01M

Carbon Engine Bay Panel Set

Coupe 6 pcs.

F.24.430.C02T

Assembly

F.24.430.02M

Carbon Cover for Air Filter Housing R+L

F.24.430.C03R

Assembly

F.24.430.03M

Aluminum Interior

Race Parts

- ❖ For individual and technical looks
- ❖ High quality CNC production



Specification

Order-No.

Footrest Aluminum Perforated

F.91.430.01T

Assembly

F.91.430.01M

Carbon Interior

Pure Racing Technology

- ❖ Black or Silver Carbon, finished in high gloss polish
- ❖ Various colours available upon request. Surcharge of 30 % will apply

Specification

Order-No.

5 pc. Interior Set:

Carrier ventilation and light switches (driver side)
Carrier ventilation (passenger side)
Carrier ventilation and radio on centre console
Carrier ventilation Air Condition elements
Centre console between seats

F.92.430.01R

Assembly

F.92.430.01M

Door Sills with Imola Racing Logo R+L

F.92.430.02R

Assembly

F.92.430.02M

F1 Shift Paddles

Longer Version as Challenge Model R+L

F.92.430.03R

Assembly

F.92.430.03M

Sport Seats

Superior Quality

- ❖ Comfortable Seat with hull in compound fibre
- ❖ Leather seating and sides, backside visible fibre
- ❖ With integrated headrest and seatbelt guidance
- ❖ Consoles for original mounting



Specification

Order-No.

Seat in leather
with console

F.90.CORS.01R

Assembly

F.90.CORS.01M

Surcharge for hull in Carbon

F.90.CARBON.01P

Surcharge for coloured hull

F.90.LACK.01P

Surcharge for material mix
leather/alcantara
uni or two tone

F.90.MIX.01P

Surcharge for sewing of middle part
in Daytona-Design

F.90.MARA.01P

Velour Carpets

OEM Quality Equipment

- ❖ Tasteful handcrafted finish
- ❖ Finest velours quality
- ❖ Non slippery



Base Colour

Piping

Order-No.

Black
Black
Creme
Tan

Red
Yellow
Creme
Tan

F.95.430.00V

Surcharge for piping in leather

F.95.430.10V

Conditions an additional notes

All prices are plus shipping and packing. All goods are ex-warehouse and bills are to be settled by cash upon delivery service or paid by credit card. All deliveries are subject to our General Business Conditions. With the publication of this list all previous lists become invalid. Prices and technical specifications can be changed. All mistakes reserved.



Dimex Automotive Group

Fritz-Haber-Strasse 3
D-65203 Wiesbaden
Germany

Tel +49 (611) 505606-0
Fax +49 (611) 505606-99

Mail info@dimex-group.com
Net www.dimex-group.com

Validity: January 2007