



## **Product List Ferrari F550 / F575 / Barchetta / Superamerica**

### **Content**

Aerodynamic
Aluminium Wheels
Wheel Sets
Spacers
Sport Springs
Sport Brake System
Sports Exhaust
Tail Pipes
Sports Catalysts
Engine Tuning Complete Kits
Engine Tuning Single Components
Interior
Barchetta Soft Top



## Aerodynamics

### Carbon Super Light Weight

- ✘ All parts hand made from carbon fibre, finished in high gloss polished or dull surfaces
- ✘ Improved aerodynamics, specially increased down force
- ✘ Manufactured after highest quality standards and characterized through exact fitting

#### **Linea Sprint**

#### **Order-No.**

---

**Spoiler Lip for original Front Bumper F550**  
Assembly

F.70.550.C01S  
F.70.550.C01M

---

**Spoiler Lip for original Front Bumper F575**  
Assembly

F.70.575.C02S  
F.70.550.C02M

---

**Rear Diffuser for F550 / F575**  
(for the original Rear Skirt)  
Assembly

F.70.550.C03S  
F.70.550.C03M

---

**Rear Wing with flaHP for F550 / F575**  
Assembly

F.70.550.C04S  
F.70.550.C04M

---

**GT Racing Wing adjustable for F550 / F575**  
Assembly

F.70.550.C04S  
F.70.550.C04M

---

## Aerodynamics

### Epoxyd Carbon Composite

- ✘ Made from Carbon reinforced Epoxyd Composite, to be painted colour matching
- ✘ Manufactured after highest quality standards and characterized through exact fitting
- ✘ Only 15 % more weight than carbon fibre

#### **Linea Sprint**

#### **Order-No.**

---

**Spoiler Lip for original Front Bumper F550**  
Assembly & Paintwork

F.70.550.E01S  
F.70.550.O1LM

---

**Spoiler Lip for original Front Bumper F575**  
Assembly & Paintwork

F.70.575.E02S  
F.70.550.O2LM

---

**Rear Diffuser for F550 / F575**  
(for the original Rear Skirt)  
Assembly & Paintwork

F.70.550.E03S  
F.70.550.O3LM

---

**Rear Wing with flaHP for F550/ F575**  
Assembly & Paintwork

F.70.550.E04S  
F.70.550.O4LM

---

## Aluminium Wheels

### Imola Racing Exclusive Wheel "Fiorano III"

- ❖ Very light three piece 20" aluminium rim finished in sterling silver
- ❖ Titanium screws and outer liHP in polished high gloss stainless steel
- ❖ Effectively fill out the wheel arches giving a fuller and wider appearance
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany



Front Axle	Rear Axle	Order-No.
9,0 x 19		F.80.F.9019S
	11,0 x 19	F.80.F.11019S

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

## Wheels Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Front Axle	Rear Axle	Order-No.
9,0 x 19	11,0 x 19	
255/35 R 19	305/30 R 19	F.85.F.90110R12R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

## Aluminium Wheels

### Imola Racing Exclusive Wheel "Fiorano II"

- ❖ Light 2 pc. 20" aluminium rim finished in sterling silver
- ❖ Outer liHP in stainless steel high gloss polished
- ❖ Effectively fill out the wheel arches
- ❖ For use with OEM center cap or Imola Racing center cap



<b>Silver</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20		F.80.F2.9020S
		11,0 x 20	F.80.F2.11020S

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

<b>Silver</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20	11,0 x 20	
	245/30 R 20	305/25 R 20	F.85.F2.90110R20R
		325/25 R 20	F.85.F2.90110R21R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

## Aluminium Wheels

### Imola Racing Exclusive Wheel "Challenge III"

- ❖ Very light 3 pc. 18", 19" & 20" aluminium rim finished in sterling silver
- ❖ Titanium screws and outer liHP in polished high gloss stainless steel
- ❖ Effectively fill out the wheel arches giving a fuller and wider appearance
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany



Front Axle	Rear Axle	Order-No.
9,0 x 20		F.80.CH.9020S
	11,0 x 20	F.80.CH.11020S

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

## Wheels Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Front Axle	Rear Axle	Order-No.
9,0 x 20	11,0 x 20	
245/30 R 20	305/25 R 20	F.85.CH.90110R20R
	325/25 R 20	F.85.CH.90110R21R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

## Aluminium Wheels

### Imola Racing Exclusive Wheel "Challenge II"

- ❖ Light 2 pc. 20" aluminium rim finished in sterling silver
- ❖ Outer liHP in stainless steel high gloss polished, centres paintable
- ❖ Effectively fill out the wheel arches providing wider appearance
- ❖ For use with OEM center cap or Imola Racing center cap



<b>Silver</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20		F.80.CH2.9020S
		11,0 x 20	F.80.CH2.11020S

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

<b>Silver</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20	11,0 x 20	
	245/30 R 20	305/25 R 20	F.85.CH2.90110R20R
		325/25 R 20	F.85.CH2.90110R21R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

## Aluminium Wheels

### Imola Racing Exclusive Wheel "Nardo III"

- ❖ Very light three piece 20" aluminium rim finished in sterling silver
- ❖ Titanium screws and outer liHP in high gloss polished
- ❖ Effectively fill out the wheel arches giving a fuller and wider appearance
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany



Front Axle	Rear Axle	Order-No.
9,0 x 20	11,0 x 20	F.80.N.9020S F.80.N.11020S

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Front Axle	Rear Axle	Order-No.
9,0 x 20 245/30 R 20	11,0 x 20 305/25 R 20 325/25 R 20	F.85.N.90110R21R F.85.N.90110R22R
Assembly per vehicle		85.00M

## Aluminium Wheels

### Imola Racing Exclusive Wheel "Mistral II"

- ❖ Light 2 pc. 20" aluminium rim finished in sterling silver
- ❖ Outer liHP in stainless steel high gloss polished
- ❖ Effectively fill out the wheel arches
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany



<b>Silver</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20	11,0 x 20	F.80.MI2.9020S F.80.MI2.11020S

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

<b>Silver</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20 245/30 R 20	11,0 x 20 305/25 R 20 325/25 R 20	F.85.MI2.90110R20R F.85.MI2.90110R21R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

## Aluminium Wheels

### Imola Racing Exclusive Wheel "Mistral III"

- ❖ Very light three piece 19" & 20" aluminium rim finished in sterling silver
- ❖ Titanium screws and outer lip in high gloss polished
- ❖ Effectively fill out the wheel arches giving a fuller and wider appearance
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany



Front Axle	Rear Axle	Order-No.
9,0 x 19	11,0 x 19	F.80.MI3.9019S
		F.80.MI3.11019S
9,0 x 20	11,0 x 20	F.80.MI3.9020S
		F.80.MI3.11020S

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Front Axle	Rear Axle	Order-No.
9,0 x 19 255/35 R 19	11,0 x 19 305/30 R 19	F.85.MI3.90110R19R
9,0 x 20 245/30 R 20	11,0 x 20 305/25 R 20	F.85.MI3.90110R21R
	325/25 R 20	F.85.MI3.90110R22R
Assembly per vehicle		85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

## Aluminium Wheels

### Imola Racing Exclusive Wheel "Mistral I"



- ❖ Monoblock Aluminium rim in 20"
- ❖ Diamond cut lip, 3 pcs. design
- ❖ Effectively fill out the wheel arches
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany

<b>Silver</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20		F.80.MI1.9020S
		10,0 x 20	F.80.MI1.10020S

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

<b>Black</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20		F.80.MIS1.9020S
		10,0 x 20	F.80.MIS1.10020S

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

<b>Silver</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20	10,0 x 20	
	255/30 R 20	305/25 R 20	F.85.MI1.90100R22R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

<b>Black</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20	10,0 x 20	
	255/30 R 20	305/25 R 20	F.85.MIS1.90100R22R

Assembly per vehicle 85.00M

## Aluminium Wheels

### Imola Racing Exclusive Wheel "Daytona"



- ❖ Monoblock Aluminium rim in 20"
- ❖ Diamond polished lip, 3 pcs. design
- ❖ Effectively fill out the wheel arches
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany

<b>Silver</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20	10,0 x 20	F.80.D.9020S F.80.D.10020S

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

<b>Black</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20	10,0 x 20	F.80.DS.9020S F.80.DS.10020S

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

<b>Silver</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20 255/30 R 20	10,0 x 20 305/25 R 20	F.85.D.90100R22R

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

<b>Black</b>	Front Axle	Rear Axle	Order-No.
	9,0 x 20 255/30 R 20	10,0 x 20 305/25 R 20	F.85.DS.90100R22R

Assembly per vehicle 85.00M

# Spacers

Imola Racing Exclusive

- ❖ Improves general performance and handling
- ❖ Fill out wheel arch, fuller and wider appearance
- ❖ Type-approved by German TÜV
- ❖ Quality made in Germany



mm/Wheel Front Axle	mm/Wheel Rear Axle	mm/Axle	System	Order-No.
10		20	1	F.40.0250T
15		30	1	F.40.0261T
	15	30	1	F.40.0261T
	20	40	2	F.40.1760T
	25	50	2	F.40.1770T
	30	60	2	F.40.1780T
	35	70	2	F.40.1790T
Assembly / Axle	System 1			F.40.01M
Assembly / Axle	System 2			F.40.02M

## System 1

The standard size (15 mm per wheel) is made of highly-strength alloy and is predicted with a special high quality anti-corrosion coating. This wheel spacer type is always delivered with a longer wheel bolts of 10.9 steel quality and OEM optic.


## System 2

Special sizes (from 20 mm upwards per wheel) are made of highly-strength alloy and are protected with a special high-quality anti-corrosion coating. These spacers are to be fixed onto the hub with the added screws.

# Sport Springs

Effective Chassis Lowering

- ❖ Distinctive increment of driving stability
- ❖ Improved handling with higher traction limits



Specification	Order-No.
<b>Set of 4 Sport Springs for F550 / F575</b> Drop of 35-40mm	F.10.550.01S
Assembly incl. electronic suspension alignment	F.10.550.01M

# Sports Brake System

## Superior Stopping Power

- ❖ High performance brake systems
- ❖ Race tested
- ❖ High-capacity Brake Discs ventilated and cross grooved
- ❖ Substantially increased stability and pressure sensitivity



### Specification

### Order-No.

<b>Brake Disc FA 380 x 32 mm</b>		
<b>6 Piston Caliper for Front Axle</b>	<b>F 550</b>	F.30.550.01Q
<b>incl. brake pads and steel-flex brake hoses</b>	<b>F 575</b>	F.30.575.01Q

<b>Brake Disc FA 342 x 28 mm</b>		
<b>4 Piston Caliper for Rear Axle</b>		F.30.550.02Q
<b>incl. brake pads and steel-flex brake hoses</b>		

Assembly FA incl. High Performance Brake Fluid		F.30.550.01M
Assembly RA incl. High Performance Brake Fluid		F.30.550.02M

<b>1 Set Sports Brake Pads</b>		
As replacement for Front Axle		F.30.550.02S
As replacement for Rear Axle		F.30.550.12T

Assembly / Axle		F.30.550.02M
-----------------	--	--------------

# Sport Brake Kit

## Brake Power Upgrade

- ❖ For upgrade of original Brake
- ❖ Highly improved braking power
- ❖ Exact pressure sensitivity



### Specification for F550 / F575

### Order-No.

<b>Brake Upgrade Kit</b>		
<b>Sport-Brake Pads</b>		
Front / Rear		
<b>Steel Flex Hoses</b>		
Front / Rear		F.30.550.10T

Assembly incl. High Performance Brake Fluid		F.30.550.10M
---	--	--------------

<b>1 Set Sport Brake Pads Front Axle</b>		F.30.550.11T
<b>1 Set Sport Brake Pads Rear Axle</b>		F.30.550.12T

Assembly / Axle		F.30.550.11/12M
-----------------	--	-----------------


<b>4 Steel Flex Hoses</b>		F.30.550.13S
---------------------------	--	--------------

Assembly incl. High Performance Brake Fluid		F.30.550.13M
---	--	--------------

## Sport Exhaust

Pure Ferrari Sound

- ✦ Handmade from stainless steel, irresistible sound
- ✦ Power increment through substantial dynamic pressure reduction
- ✦ Equal fill of both tailpipe pairs
- ✦ Optimized heat diversion providing improved thermal engine conditions



### Specification

### Order-No.

**2 Sport End Silencer left and right for all Models**  
(with 2 x 83 mm Tail Pipes double layer structure)

F.20.550,01S

Assembly

F.20.550.01M

## Sports Catalysts

Sound & Performance

- ✦ Increment of performance, full sound
- ✦ Extremely heat resistant

### Model

### Specification

### Order-No.

**F550/Barchetta**

**Sports Metal Catalysts**  
2 pcs. 200 Cell (parts in exchange)

F.25.550.10R

**F575/Superamerica**

**Sports-Metal-Catalysts**  
2 pcs. 200 Cell (parts in exchange)

F.25.575.10R

Assembly

F.25.550.00M

**F550/Barchetta**

**Catalyst Replacement Pipes**  
2 pcs

F.25.550.11S

**F575/Superamerica**

**Catalyst Replacement Pipes**  
2 pcs

F.25.575.11S

Assembly

F.25.550.00M

# Engine Tuning Complete Kits

## Superior Power

- ❖ Over 10 years experience with Ferrari engines
- ❖ Durability tested on race track
- ❖ Highest quality standards
- ❖ increased rev.-limiter --> higher top speed possible

**For Ferrari 550 / Barchetta (357 kW / 485 HP, max. Torque 568 Nm)**

### **Step 1** **382 kW / 519 HP**

Order-No.

Modifikation of motronic (ECU), sports exhaust system, sports air filter

**Power Increment:** 25 kW/34 HP  
**max. Torque:** 580 Nm  
**max. RPM:** 8.200 rpm

F.50.550.10S

Assembly

F.50.550.01M

### **Step 2** **390 kW / 530 HP**

Order-No.

Modifikation of motronic (ECU), sports exhaust system, sports air filter, 2x200 cell metal sports catalyts (in exchange)

**Power Increment:** 33 kW / 45 HP  
**max. Torque:** 585 Nm  
**max. RPM:** 8.200 rpm

F.50.550.K11S

With Catalyst Replacement Pipes

F.50.550.E02S

Assembly

F.50.550.02M

### **Step 3** **401 kW / 545 HP**

Order-No.

Modifikation of motronic (ECU), sports exhaust system, sports air filter, 2x200 cell metal sports catalyts (in exchange), patented Fuel Colling Sysytem

**Power Increment:** 44 kW / 60 HP  
**max. Torque:** 590 Nm  
**max. RPM:** 8.200 rpm

F.50.550.K12S

With Catalyst Replacement Pipes

F.50.550.E03S

Assembly incl. air condition refill

F.50.550.03M

Prerequisite for output quotation is always the full availability of nominal stock power of 357 kW/568 HP

# Engine Tuning Complete Kits

## Superior Power

- ✦ Over 10 years experience with Ferrari engines
- ✦ Durability tested on race track
- ✦ Highest quality standards
- ✦ increased rev.-limiter --> higher top speed possible

**For Ferrari 575 (379 kW / 515 HP, max. Torque 588 Nm)**

### **Step 1** **405 kW / 550 HP**

**Order-No.**

Modifikation of motronic (ECU), sports exhaust system,  
sports air filter

**Power Increment:** 26 kW / 35 HP

**max. Torque:** 590 Nm

**max. RPM:** 8.250 rpm

F.50.575.20S

Assembly

F.50.575.01M

### **Step 2** **412 kW / 560 HP**

**Order-No.**

Modifikation of motronic (ECU), sports exhaust system,  
sports air filter, 2x200 cell metal sports  
catalysts (in exchange)

**Power Increment:** 33 kW / 45 HP

**max. Torque:** 595 Nm

**max. RPM:** 8.250 rpm

F.50.575.K21S

With Catalyst Replacement Pipes

F.50.575.E02S

Assembly

F.50.575.02M

### **Step 3** **423 kW / 575 HP**

**Order-No.**

Modifikation of motronic (ECU), sports exhaust system,  
sports air filter, 2x200 cell metal sports catalysts  
(in exchange), patented Fuel Colling Sysytem

**Power Increment:** 44 kW / 60 HP

**max. Torque:** 600 Nm

**max. RPM:** 8.250 rpm

F.50.575.K22S

With Catalyst Replacement Pipes

F.50.575.E03S

Assembly incl. air condition refill

F.50.575.03M

Prerequisite for output quotation is always the full availability of nominal stock power of 379 kW/515 HP

# Engine Tuning Complete Kits

## Superior Power

- ❖ Over 10 years experience with Ferrari engines
- ❖ Durability tested on race track
- ❖ Highest quality standards
- ❖ increased rev.-limiter --> higher top speed possible

**For Ferrari Superamerica (397 kW / 540 HP, max. Torque 589 Nm)**

### **Step 1** **419 kW / 570 HP**

Order-No.

Modifikation of motronic (ECU), sports exhaust system,  
sports air filter

**Power Increment:** 22 kW / 30 HP  
**max. Torque:** 590 Nm  
**max. RPM:** 8.250 rpm

F.50.575.20S

Assembly

F.50.575.01M

### **Step 2** **426 kW / 580 HP**

Order-No.

Modifikation of motronic (ECU), sports exhaust system,  
sports air filter, 2x200 cell metal sports  
catalysts (in exchange)

**Power Increment:** 29 kW / 40 HP  
**max. Torque:** 595 Nm  
**max. RPM:** 8.250 rpm

F.50.575.K21S

With Catalyst Replacement Pipes

F.50.575.E02S

Assembly

F.50.575.02M

### **Step 3** **433 kW / 590 HP**

Order-No.

Modifikation of motronic (ECU), sports exhaust system,  
sports air filter, 2x200 cell metal sports catalysts  
(in exchange), patented Fuel Colling Sysytem

**Power Increment:** 38 kW / 50 HP  
**max. Torque:** 600 Nm  
**max. RPM:** 8.250 rpm

F.50.575.K22S

With Catalyst Replacement Pipes

F.50.575.E03S

Assembly incl. air condition refill

F.50.575.03M

Prerequisite for output quotation is always the full availability of nominal stock power of 397 kW/540 HP

# Engine Tuning Single Components

## Superior Power

- ✦ Substantial Output increment
- ✦ Imola Racing exclusive developments
- ✦ Highest quality standards

Prerequisite for output quotation is always the full availability of nominal stock power

1. F550 / Barchetta - 357 kW / 485 HP max. Torque 568 Nm

2. F575 - 379 kW / 515 HP max. Torque 588 Nm

3. Superamerica - 379 kW / 515 HP max. Torque 589 Nm

Specification	Order-No.
<b>Modification of Motronic (ECU) for F550 / F575</b> increased rev.-limiter → higher top speed possible <b>Power Increment:</b> 17 kW / 24 HP <b>max. RPM:</b> 8250 rpm	F.50.550.01R
Assembly	F.50.550.10M
<b>Patented Fuel Cooling System</b> Only in combination with ECU modification <b>Power Increment:</b> 11 kW / 15 HP 1. F 550 / Barchetta 2. F 575 3. Superamerica	F.50.550.02S F.50.575.02S F.50.SPA.02S
Assembly inkl. Klimabefüllung	F.50.550.11M
<b>Modified intake air flow</b> incl. Sports Airfilters (only for F550 / Barchetta) <b>Power Increment:</b> ca. 3kW / 4 HP	<b>F.50.550.03S</b>
Assembly	F.50.550.12M
<b>Sports Airfilters</b> 2 Pcs. 1. F 550 / Barchetta 2. F 575 / Superamerica	F.50.550.04.R F.50.575.04.R
Assembly	F.50.550.13M

## Engine Bay

### Carbon Upgrade Kit

- ✦ Visual and technical upgrade of engine bay

Specification	Order-No.
<b>Cooler cover Carbon for all Models</b> Assembly	F.24.550.01T F.24.550.01M

# Airbag Sports Steering Wheels

## Direct Car Control

- ✧ Substantially improved car control through direct feeling
- ✧ More sportive looks

Specification	Size	Order-No.
Leather	∅ 320	F.94.00.L32R
Leather (perforated grip zone)	∅ 320	F.94.00.LP32R
Leather/Carbon	∅ 320	F.94.00.C32R
Leather	∅ 340	F.94.00.L34R
Leather/Aluminium	∅ 340	F.94.00.A34R
Leather/Carbon	∅ 340	F.94.00.C34R
Leather	∅ 360	F.94.00.L36R
Leather/Aluminium	∅ 360	F.94.00.A36R
Leather/Carbon	∅ 360	F.94.00.C36R
Assembly		F.94.00.02M

# Sports Seats

## Superior Quality

- ✧ Comfortable supersports Seat with hull in compound fibre
- ✧ Leather seating and sides, backside black
- ✧ With integrated headrest and seatbelt guidance
- ✧ Consoles for original mounting



Specification	Order-No.
Seat in leather with console Assembly	F.90.CORS.01R F.90.CORS.01M
Surcharge for coloured hull	F.90.LACK.01P
Surcharge for material mix leather/alcantara uni or two tone	F.90.MIX.01P
Surcharge for sewing of middle part in Daytona-Design	F.90.MARA.01P

## Velour Carpets

### OEM Quality Equipment

- ✧ Tasteful handcrafted finish
- ✧ Finest velours quality
- ✧ Non slippery



Base Colour	Piping	Order-No.
Black Black Creme Tan	Red Yellow Creme Tan	F.95.550.00V
Surcharge for piping in leather		F.95.550.10V

## Car Cover

### Effective Protection

- ✧ Fits various modells, custom made available
- ✧ Perfect protection, no condensation
- ✧ With rubber bands, zipper entry on driver side and carry on bag

Specification	Order-No.
Car Cover Contour (standard form)	MMSR
Car Cover Individual (custom form)	CCN550R
Roof Upholstery (strongly recommended for convertibles )	CCD550R
two intergreated mirror Covers	CCS550R

## Aluminium Interior

### Race Parts

- ✧ For individual and technical looks
- ✧ High quality CNC production

Specification	Order-No.
Hand Brake lever	F.91.HBG.01T
Assembly	F.91.550.01M

## Carbon Interior

### Pure Racing Technology

- ❖ Black or Silver Carbon, finished in high gloss polish
- ❖ Various colours available upon request. Surcharge of 30 % will apply
- ❖ Special parts and individual interiors upon request

Specification	Order-No.
<b>Main Instruments Frame *</b> Assembly	F.92.550.01S F.92.550.01M
<b>Additional Instruments Frame *</b> (Assembly only in combination with Main Instruments Frame)	F.92.550.02S F.92.550.02M
<b>Cover Center tunnel *</b> Assembly	F.92.550.03S F.92.550.03M
<b>Ashtray *</b> Assembly	F.92.550.04S F.92.550.03M
<b>Cover for Mirror adjustment*</b> Assembly	F.92.550.05S F.92.550.04M

\* (parts in exchange).

## High Speed Soft Top for Barchetta

### Ultimate Solution

- ❖ quality manufacture
- ❖ German engineering
- ❖ easy and quickly assembly incl. Winddeflector
- ❖ Speed limit V-max 230 km/h
- ❖ fits perfect in the extra compartment in the Trunkroom



Specification	Order-No.
<b>Soft Top (incl. Windschott)</b>	F.97.550.01R
Assembly	F.97.550.01M

# Design Lamp

## Lamp Protection & Upgrade Set



- ❖ Modern looks and effective protection

Specification	Colour	Order-No.
<b>2 Turn Signals R+L</b> Assembly	<b>Black</b> <b>White</b>	F.65.S01T F.65.W01T F.65.O0M
<b>4 Tail Lights 2 x R+L</b> Assembly	<b>Black</b> <b>White</b>	F.65.S03Q F.65.W03Q F.65.O3M

## Headlight Protection Film

- ❖ exact fitting
- ❖ protects Headlightglasses reliable from Stone chips

Specification		Order-No.
<b>Headlight Protection Film</b> (for the front Headlamp) Assembly	<b>Transparent</b>	F.65.LS01T F.65.LS01M

### Conditions an additional notes

All prices are plus shipping and packing. All goods are ex-warehouse and bills are to be settled by cash upon delivery service or paid by credit card. All deliveries are subject to our General Business Conditions. With the publication of this list all previous lists become invalid. Prices and technical specifications can be changed. All mistakes reserved.

Validity: January 2007





Dimex Automotive Group  
Fritz-Haber-Strasse 3  
D-65203 Wiesbaden  
Germany

Tel +49 (611) 505606-0  
Fax +49 (611) 505606-99

Mail [info@dimex-group.com](mailto:info@dimex-group.com)  
Net [www.dimex-group.com](http://www.dimex-group.com)