



# Price List Ferrari F612 Scaglietti

## Content

- Aerodynamics & Design
  - Aluminum Wheels
    - Wheel Sets
      - Spacers
        - Sport Springs
- Sports Brake System
- Sports Exhaust
- Sports Catalysts
- Engine Tuning Complete Kits
- Engine Tuning Single Components
  - Interior
    - Velour Carpets



# Imola Racing Limited Edition 612 GT Lusso

- ❖ Limited edition of 25 cars world wide
- ❖ Individual customizing to GT Lusso Version
- ❖ Outstanding and spectacular optic
- ❖ High and craftsmanship work in aluminum from experts for aluminum bodywork
- ❖ Improved handling due to the wider track in combination with the Imola Racing Wheelset

## Specification

## Order-No.

---

**consisting:** unique and 3 cm extended front fenders with large air ducts behind the wheels and adjusted front apron, 5 cm extended rear fenders with adjusted rear apron incl. complete Bodykit from Epoxyd Carbon Composite consists of: Front Spoiler, Side Skirt, Rear Skirt with Diffusor and a Rear Spoiler  
incl. assembly and paintwork

F.70.612.GT01

---

**3 color painting of front fenders and doors**

F.70.612.GT02

---

**air ducts in aluminum at rear fenders  
in front of rear wheel**

F.70.612.GT03

---

**front bonnet with center air duct in aluminum  
(like 250 GT SWB)**

F70.612.GT04

---

**2 air cooling vents with meshed grill in front bonnet**

F70.612.GT05

---

## Aerodynamics

### Carbon Super Light Weight

- ❖ All parts hand made from carbon fibre, finished in high gloss or matt
- ❖ Sportive, individual and fine looks
- ❖ Improved aerodynamics, specially increased down force

#### Order-No.

#### Front Spoiler

Labor in hours

F.70.612.C60S

F.70.612.C60M

#### Side Skirts

Labor in hours

F.70.612.C61S

F.70.612.C61M

#### Rear Skirt with Diffuser

Labor in hours

F.70.612.C62S

F.70.612.C62M

#### Rear Spoiler

Labor in hours

F.70.612.C63S

F.70.612.C63M

## Aerodynamics

### Epoxyd Carbon Composite

- ❖ Made from Carbon reinforced Epoxyd Composite, to be painted colour matching
- ❖ Only 15 % more weight than carbon fibre
- ❖ Improved aerodynamics, specially increased down force

#### Order-No.

#### Front Spoiler

Labor in hours\*

F.70.612.E60S

F.70.612.E60ML

#### Side Skirts

Labor in hours\*

F.70.612.E61S

F.70.612.E61ML

#### Rear Skirt with Diffuser

Labor in hours\*

F.70.612.E62S

F.70.612.E62ML

#### Rear Spoiler

Labor in hours\*

F.70.612.E63S

F.70.612.E63ML

\* Costs for painting, depends on local prices.

## Design Parts

### Lamps

- ❖ Modern and sportive looks



#### Specification

#### Colour

#### Order-No.

#### 2 Turn Signal Side Lamps R+L

Black  
White

F.65.S01T  
F.65.W01T  
F.65.O0M

Labor in hours

#### 4 Tail Lights - 2 per side R+L

Schwarz  
Weiss

F.65.S02Q  
F.65.W02Q  
F.65.O3M

Labor in hours

## Aluminum Wheels

### Imola Racing Exclusive Wheel "Daytona"

- ❖ Monoblock Aluminum rim in 20"
- ❖ Diamond polished lip, 3 pcs. design
- ❖ Effectively fill out the wheel arches
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany



#### **Silver**

Front Axle	Rear Axle	Order-No.
------------	-----------	-----------

9,0 x 20	10,0 x 20	F.80.D.9020S F.80.D.10020S
----------	-----------	-------------------------------

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

#### **Black**

Front Axle	Rear Axle	Order-No.
------------	-----------	-----------

9,0 x 20	10,0 x 20	F.80.DS.9020S F.80.DS.10020S
----------	-----------	---------------------------------

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

#### **Silver**

Front Axle	Rear Axle	Order-No.
------------	-----------	-----------

9,0 x 20 245/30 R 20	10,0 x 20 285/35 R 20	F.85.D.90100R21R
-------------------------	--------------------------	------------------

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

#### **Black**

Front Axle	Rear Axle	Order-No.
------------	-----------	-----------

9,0 x 20 245/30 R 20	10,0 x 20 285/35 R 20	F.85.DS.90100R21R
-------------------------	--------------------------	-------------------

Assembly per vehicle 85.00M

## Aluminum Wheels

### Imola Racing Exclusive Wheel "Mistral I"

- ❖ Monoblock Aluminum rim in 20"
- ❖ Diamond polished lip, 3 pcs. design
- ❖ Effectively fill out the wheel arches
- ❖ For use with OEM center cap or Imola Racing center cap
- ❖ Quality made in Germany



#### **Silver**

Front Axle	Rear Axle	Order-No.
------------	-----------	-----------

9,0 x 20	10,0 x 20	F.80.MI1.9020S F.80.MI1.10020S
----------	-----------	-----------------------------------

Upon request centres painted in colour of choice. Surcharge of 200,00 Euro Net per wheel applies.

#### **Black**

Front Axle	Rear Axle	Order-No.
------------	-----------	-----------

9,0 x 20	10,0 x 20	F.80.MIS1.9020S F.80.MIS1.10020S
----------	-----------	-------------------------------------

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

#### **Silver**

Front Axle	Rear Axle	Order-No.
------------	-----------	-----------

9,0 x 20 245/30 R 20	10,0 x 20 285/35 R 20	F.85.MI1.90100R21R
-------------------------	--------------------------	--------------------

Assembly per vehicle 85.00M

Upon request centres painted in colour of choice. Surcharge of 800,00 Euro Net per set applies.

#### **Black**

Front Axle	Rear Axle	Order-No.
------------	-----------	-----------

9,0 x 20 245/30 R 20	10,0 x 20 285/35 R 20	F.85.MIS1.90100R21R
-------------------------	--------------------------	---------------------

Assembly per vehicle 85.00M

## Aluminum Wheels

### Imola Racing Exclusive Wheel "Challenge II"

- ❖ Very light three piece 20" aluminum rim finished in sterling silver
- ❖ Titanium screws and outer lips in high gloss polished
- ❖ For use with OEM center cap or Imola Racing center cap



Front Axle	Rear Axle	Order-No.
9,0 x 20	11,0 x 20	F.80.CH.09020S F.80.CH.11520S

Upon request centres painted in colour of choice. Surcharge of 350,00 USD per wheel applies.

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Front Axle	Rear Axle	Order-No.
9,0 x 20 245/30 R 20 Labor in hours per vehicle	11,0 x 20 285/35 R 20	F.85.CH.090115R21R 85.00M

Upon request centres painted in colour of choice. Surcharge of 1.400,00 USD per set applies.

## Aluminum Wheels

### Imola Racing Exklusivrad "Mistral II"

- ❖ Very light three piece 20" aluminum rim finished in sterling silver
- ❖ Titanium screws and outer lips in high gloss polished
- ❖ For use with OEM center cap or Imola Racing center cap



Front Axle	Rear Axle	Order-No.
9,0 x 20	11,0 x 20	F.80.MI3.09020S F.80.MI3.11520S

Upon request centres painted in colour of choice. Surcharge of 350,00 USD per wheel applies.

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Front Axle	Rear Axle	Order-No.
9,0 x 20 245/30 R 20 Labor in hours per vehicle	11,0 x 20 285/35 R 20	F.85.MI3.090115R21R 85.00M

Upon request centres painted in colour of choice. Surcharge of 1400,00 USD per set applies.

## Aluminum Wheels

### Imola Racing Exklusivrad "Nardo III"

- ❖ Very light three piece 20" aluminum rim finished in sterling silver
- ❖ Titanium screws and outer lips in high gloss polished
- ❖ For use with OEM center cap or Imola Racing center cap



Front Axle	Rear Axle	Order-No.
9,0 x 20	11,0 x 20	F.80.N.09020S F.80.N.11020S

Upon request centres painted in colour of choice. Surcharge of 350,00 USD per wheel applies.

## Wheel Sets

### Ready to mount set of 4 wheels

- ❖ In combination with Michelin or Pirelli high performance tyres
- ❖ Completely assembled and balanced

Front Axle	Rear Axle	Order-No.
9,0 x 20 245/30 R 20 Labor in hours per vehicle	11,0 x 20 285/35 R 20	F.85.N.09011R21R 85.00M

Upon request centres painted in colour of choice. Surcharge of 1.400,00 USD per set applies.

## Aluminum Wheels

Imola Racing Exclusive Wheel "Lesmo II"



- ✧ 2-pieces 20" and 21" aluminium rim finished in sterling silver
- ✧ forged and shaped wheel center from aerospace aluminium
- ✧ Titanium screws with full chromed inner and outer lips
- ✧ For use with OEM center cap or Imola Racing center cap

	Front Axle	Rear Axle	Order-No.
<b>Silver</b>	9,0 x 20	12,0 x 20	F.80.LE.09020S F.80.LE.12020S
	9,0 x 21	11,0 x 21	F.80.LE.09021S F.80.LE.11021S
<b>Black</b>	9,0 x 20	12,0 x 20	F.80.LES.09020S F.80.LES.12020S
	9,0 x 21	11,0 x 21	F.80.LES.09021S F.80.LES.11021S
<b>Chrome</b>	9,0 x 20	12,0 x 20	F.80.LEC.09020S F.80.LEC.12020S
	9,0 x 21	11,0 x 21	F.80.LEC.09021S F.80.LEC.11021S

## Wheel Sets

Ready to mount set of 4 wheels

- ✧ In combination with Michelin or Pirelli high performance tyres
- ✧ Completely assembled and balanced

	Front Axle	Rear Axle	Order-No.
<b>Silber</b>	9,0 x 20 245/30 R 20	12,0 x 20 335/30 R 20	F.85.LE.9012R20R
	9,0 x 21 255/30 R 21	11,0 x 21 295/25 R 21	F.85.LE.9011R21R
<b>Black</b>	9,0 x 20 245/30 R 20	12,0 x 20 335/30 R 20	F.85.LES.9012R20R
	9,0 x 21 255/30 R 21	11,0 x 21 295/25 R 21	F.85.LES.9011R21R
<b>Chrome</b>	9,0 x 20 245/30 R 20	12,0 x 20 335/30 R 20	F.85.LEC.9012R20R
	9,0 x 21 255/30 R 21	11,0 x 21 295/25 R 21	F.85.LEC.9011R21R
Labor in hours per vehicle			85.00M

# Spacers

Imola Racing Exclusive



- ❖ Improves general performance and handling
- ❖ Fill out wheel arch, fuller and wider appearance
- ❖ Type-approved by German TÜV
- ❖ Quality made in Germany

mm/Wheel Front Axle	mm/Wheel Rear Axle	mm/Axle	System	Order-No.
15		30	1	FM.15.114T
	15	30	1	FM.15.114T
	20	40	2	FM.20.114T
Labor in hours/ Axle System 1				F.40.01M
Labor in hours/ Axle System 2				F.40.02M

## System 1

The standard size (15 mm per wheel) is made of highly-strength alloy and is predicted with a special high quality anti-corrosion coating. This wheel spacer type is always delivered with a longer wheel bolt in 10.9 steel quality and OEM optic.


## System 2

Special sizes (from 20 mm upwards per wheel) are made of highly-strength alloy and are protected with a special high-quality anti-corrosion coating. These spacers are to be fixed onto the hub with the added screws.

# Sport Springs

Effective Chassis Lowering

- ❖ Distinctive increment of driving stability
- ❖ Improved handling with higher traction limits



Specification	Order-No.
Set of 4 Sport Springs Drop of 35-40mm	F.10.612.01S
Labor in hours	F.10.612.01M

## Sport Brake System

Superior Stopping Power

- ❖ High performance brake systems
- ❖ Race tested
- ❖ Substantially increased stability and pressure sensitivity



### Specification

### Order-No.

#### 4 Brake Discs

Ø 380 mm, ventilated, cross grooved

#### 4 Race Callipers with 6 piston front axle

#### 1 Set Sport Braking Pads

#### 4 Steel Flex Hoses

Front / Back

F.30.612.01Q

Labor in hours

F.30.612.01M

#### 1 Set Sport Brake Pads

As replacement for stock brake

F.30.612.02R

Labor in hours/ Axle

F.30.612.02M

Use with standard wheels only possible with min 15 mm spacers. Not included.

## Sport Exhaust

Pure Ferrari Sound

- ❖ Handmade from stainless steel, irresistible sound
- ❖ Power increment through substantial dynamic pressure reduction
- ❖ Optimized heat diversion providing improved thermal engine conditions

### Specification

### Order-No.

#### Stainless steel Sport Exhaust

#### Tailpipe 4 x 90 mm

Labor in hours

F.20.612.01S

F.20.612.01M

## Sport Catalysts

Sound & Performance

- ❖ Increment of performance, ca. + 25 HP
- ❖ Extremely heat resistant
- ❖ Increased sound

### Specification

### Order-No.

#### Sport Metal Pre-Catalysts

4 pcs. in exchange

Labor in hours

F.25.612.01R

F.25.612.01M

#### Sport Metal Main-Catalysts

2 pcs. in exchange

Labor in hours

F.25.612.02R

F.25.612.02M

# Engine Tuning Complete Kits

## Superior Power

- ✧ More than 10 years experience with Ferrari engines
- ✧ Durability tested on race track
- ✧ Highest quality standards
- ✧ increased rev.-limiter --> higher top speed possible

### **Step 1 419 KW / 570 HP**

**Order-No.**

---

Modifikation of motronic (ECU), Stainless Steel Exhaust, Sports Air Filter

**Power Increment:** 22 KW / 30 HP

**max. Torque:** 595 Nm

**max. RPM:** 8.000 U/min

Labor in hours

F.50.612.10S

F.50.612.01M

### **Step 2 434 KW / 590 HP**

**Order-No.**

---

Modifikation of motronic (ECU), Stainless Steel Exhaust, Sports Air Filter, Sports Metal Catalysts (in exchange)

**Power Increment:** 38 KW / 50 HP

**max. Torque:** 600 Nm

**max. RPM:** 8.000 U/min

Labor in hours

F.50.612.K11S

F.50.612.02M

### **Step 3 441 KW / 600 HP**

**Order-No.**

---

Modifikation of motronic (ECU), Stainless Steel Exhaust, Sport Air Filter, Sports Metal Catalysts, Patented Fuel Cooling System

**Power Increment:** 44 KW / 60 HP

**max. Torque:** 600 Nm

**max. RPM:** 8.000 U/min

Labor in hours incl. air condition refill

F.50.612.K12S

F.50.612.03M

### **Step 4 476 KW / 648 HP**

**Order-No.**

---

High flow canal optimized and polished cylinder head, modified valves, ball polished connection rods, sport cam shaft, optimized intake manifold, weight reduced crank shaft, optimized manifold, Stainless Steel Exhaust, Sport Air Filter, Sports Metal Catalysts, Patented Fuel Cooling System, Modifikation of motronic (ECU)

**Power Increment:** 79 KW / 108 HP

**max. Torque:** 656 Nm

**max. RPM:** 8.300 U/min

Labor in hours incl. air condition refill

F.50.612.K13S

F.50.612.04M

---

Prerequisite for output quotation is always the full availability of nominal stock power of 397 KW/540 PS

# Engine Tuning Single Components

## Superior Power

- ❖ Substantial Output increment
- ❖ Imola Racing exclusive developments
- ❖ Highest quality standards

### Specification

### Order-No.

---

#### Modification of Motronic (ECU)

increased rev.-limiter -> higher top speed possible

**Power Increment:** 17 kW / 24 HP

**RPM Increment:** 300 U/min

F.50.612.01S

Assembly

F.50.612.10M

---

#### F1 Gearbox performance

increased shift times (faster) for F1 gearbox

modification GCU

F.50.612.05R

Assembly

F.50.612.14M

---

#### Patented Fuel Cooling System

Only in combination with ECU modification

**Power Increment:** 7,5 kW / 10 HP\*

F.50.612.02S

Assembly incl. air condition refill

F.50.612.11M

---

#### Sport Airfilters

**2 pcs..**

F.50.612.04R

Assembly

F.50.612.13M

\* With warm engine

# Engine Bay Components

## High Tech Materials

- ❖ Engine Bay Covers & Panels in Carbon

### Specification

### Order-No.

---

#### Cover Air Filter Housing

Assembly

F.24.612.01T

F.24.612.01M

---

#### Engine/Cooler Cover

Assembly

F.24.612.03R

F.24.612.03M

## Carbon Interior

### Pure Racing Technology

- ❖ Black or Silver Carbon, finished in high gloss polish
- ❖ Various colours available upon request. Surcharge of 30 % will apply

#### Specification

#### Order-No.

##### Interieur Set:

Instruments Frame, Frame for Air Condition Elements & Radio, Frame for Ashtray, Carrier indoor lighting (Roof), Carrier for Air Jets, Dooraplikation, Fond Ashtray & Air

Jets F.92.612.01R  
Assembly F.92.612.01M

##### F1 Shift Paddles


Longer Version as Challenge Model R+L

Assembly F.92.612.02R  
F.92.612.02M

## Velour Carpets

### OEM Quality Equipment

- ❖ Tasteful handcrafted finish
- ❖ Finest velours quality
- ❖ Non slippery



#### Base Colour

#### Piping

#### Order-No.

##### Set of 4 Carpets

Black	Red	
Black	Yellow	
Creme	Creme	
Tan	Tan	F.95.612.00V

Surcharge for piping in leather F.95.612.10V

## Individual Interieur

- ❖ Custom tailored solutions

#### Specification

Leather, Alcantara and Leather/Alcantara  
Material Mix Interiors, Sport Seats,  
Carbon, Wood and Aluminium Applications,  
Piano Paint, Seat and Panel Special  
Stitching, Coloured Contrast Stitching





**Dimex Automotive Group**

Fritz Haber Strasse 3  
D-65203 Wiesbaden  
Germany

Tel +49 (611) 505606-0  
Fax +49 (611) 505606-99

Mail [info@dimex-group.com](mailto:info@dimex-group.com)  
[www.dimex-group.com](http://www.dimex-group.com)